

Hawaiian Monk Seal Observations at Necker Island, 1993

by Michele A. Finn¹ and Marc A. Rice²

The Hawaiian monk seal, *Monachus schauinslandi* Matschie 1905, has been described as the most primitive of all extant pinniped species (Repenning and Ray 1977). Populations are found primarily in the Northwestern Hawaiian Islands: Nihoa Island, Necker Island, French Frigate Shoals, Laysan Island, Lisianski Island, Pearl and Hermes Reef, Midway Atoll, and Kure Atoll. A few individuals have been sighted around the main Hawaiian islands, and in recent years, births have occurred on O'ahu (1991) and Kaua'i (1988 and 1991). Human interactions, both direct and indirect, are known to have affected Hawaiian monk seal populations on breeding islands as early as 1824 (Bailey 1954, Kenyon 1973, Gilmartin 1983). As a result of a 50% decline in beach counts between 1958 and 1975 (Johnson et al. 1982,

Gilmartin 1983), the Hawaiian monk seal was listed as "endangered" in 1976 under the Endangered Species Act of 1973. In cooperation with the Hawaiian Monk Seal Recovery Team, the National Marine Fisheries Service Honolulu Laboratory (NMFS) developed a Hawaiian Monk Seal Recovery Plan (Gilmartin 1983) and initiated a population monitoring effort in 1981.

Necker Island (lat. 23°35'N, long. 164°42'W) is located 380 nautical miles northwest of Honolulu, within the Hawaiian Islands National Wildlife Refuge (Fig. 1). This small, 19-hectare rocky island is composed mainly of basaltic rock and supports very little vegetation. The island's history, geology, and biodiversity are described in Clapp and Kridler (1977).

This island is visited only on an opportunistic basis by NMFS, because Necker Island hosts a relatively small population of Hawai-

ian monk seals and landing on the island is limited to periods of optimal weather conditions. Historical information describing the Hawaiian monk seal at Necker Island between 1886 and 1983 is limited to unstandardized beach counts (Hiruki and Ragen 1992). Standardized seal counts were made by NMFS in 1983 (Morrow and Buelna 1985), 1985, and 1989 (Hiruki and Ragen 1992). In 1993, research objectives for Necker Island were limited to resighting tagged seals, tagging weaned pups with plastic identification tags, identifying seals with scars or natural markings, documenting injuries, conducting standardized island censuses, and assessing interisland movement.

Methods

As part of the ongoing NMFS research effort directed toward recovery of *M. schauinslandi*, a two-person field party con-




Fig. 1. Map of Hawaiian Archipelago. © National Marine Fisheries Service, Southwest Fisheries Center, Honolulu Laboratory.




Fig. 2. Sector map of Necker Island. © National Marine Fisheries Service, Southwest Fisheries Center, Honolulu Laboratory.

ducted seal surveys on Necker Island on 26 April and between 30 July and 5 August 1993. Because monk seal activities vary by location, the island was divided into 10 sectors which are delimited by natural features (Fig. 2). Potential haul-out areas are located in sectors 1, 2, 4, 5, 6, 8, and 9. The remaining sectors were unsuitable for haul-out because of their sheer rock faces and lack of shelf area. Individual seals were identified by existing hind flipper tags, scars, or natural markings. To standardize data collection between islands and years, censuses of the entire island were initiated at 1300 Hawaii Standard Time to obtain a total beach count. Island patrols were conducted at other times to document individual seals or unusual occurrences and did not necessarily represent a total beach count. A total of six censuses and 19 patrols were conducted.

Results and Discussion Population Assessment

Census counts, which represent only a portion of the total island population, ranged from 14 to 29 seals ($\bar{x} = 22.8$, $SD = 4.8$; Table 1). In 1983, a similar field effort resulted in beach counts ranging from 24 to 32 seals ($\bar{x} = 27.0$, $SD = 3.5$; Table 2; Morrow and Buelna 1985). Preferred haul-out areas in 1993 were located in sectors 2, 4, 5, and 8 which is consistent with hauling behavior previously reported (Morrow and Buelna 1985, Conant 1985). Most animals sighted were adults, and for both adult and immature size classes, the sex ratio appeared to be biased toward males. Of all seals identified by sex, 56% were males and 43% were females. In addition, sector 4 was used predominately by females as a haul-out area, possibly because the narrow rock ledge afforded some

protection from aggressive males. At least one female pup, initially sighted in sector 6, was born in 1993 and tagged postweaning on 31 July.

Injuries

Hawaiian monk seal survival is often affected by injuries caused by shark attacks, adult male aggression, and entanglement in marine debris. Five recently injured seals were observed during this field season, four adult females appeared to have male-inflicted injuries, and one adult male may have been wounded as a result of a fishery interaction.

In addition to recently acquired gaping dorsal wounds observed on the four adult females, at least five other adult females were documented with healed dorsal wounds, probably also caused by male aggression. Dorsal mid-back injuries, such as gaping wounds, superficial scratches, or lacerations on the

Table 1: Hawaiian monk seal counts on Necker Island, 1993 (M = male, F = female, and U = unknown sex).

Date	Adult			Sub-adult			Juvenile			Pup			Total			
	M	F	U	M	F	U	M	F	U	M	F	U	Nonpup	Pup	Combined	
4/26	9	4	1	3	1	3	1	0	2	0	0	0	24	0	24	
7/31	3	4	6	0	0	0	0	0	1	0	0	0	14	0	14	
8/01	6	6	11	0	0	1	0	0	1	0	1	0	25	1	26	
8/02	5	5	6	0	0	0	0	0	0	0	0	0	20*	0	20	
8/03	7	5	10	0	0	1	0	0	0	0	1	0	23	1	24	
8/04	14	9	5	0	0	0	0	0	0	0	1	0	28	1	29	
													Mean	22.3	—	22.8

*Total includes some seals which were not placed in any size class.

Table 2: Hawaiian monk seal counts on Necker Island, 1983 (M = male, F = female, and U = unknown sex) (Morrow and Buelna 1985).

Date	Adult			Sub-adult			Juvenile			Pup			Total			
	M	F	U	M	F	U	M	F	U	M	F	U	Nonpup	Pup	Combined	
4/20	5	0	13	0	0	7	0	0	4	0	0	0	29	0	30*	
7/28	8	9	1	0	0	1	2	0	1	1	0	1	22	2	24	
7/30	13	6	3	1	2	1	0	0	1	0	0	2	27	2	24	
8/01	13	8	3	0	0	1	4	0	0	1	0	2	29	3	32	
8/03	12	7	0	2	1	0	2	1	0	1	1	1	25	3	28	
8/05	7	5	3	3	1	1	1	0	0	1	0	2	21	3	24	
													Mean	25.5	—	27.0

*Total includes some seals which were not placed in any size class.

skin are characteristic male-inflicted injuries (Fig. 3). Agonistic behavior between males and females was prevalent during the field period, resulting in the reopening of one dorsal wound on an adult female. On the last day of field activities, an unidentified adult male was observed harassing the weaned female pup. Evidence of adult male aggression was described at Necker Island in 1983 (Morrow and Buelna 1985) during that population assessment. An increase in the wounding of females by adult males results in part from a sex ratio biased toward males (Hiruki et al. 1993). Because of the limited haul-out area on Necker Island, seals are forced into closer proximity to one another than is the case at

other Northwestern Hawaiian Islands, and this situation appears to intensify male aggression.

One emaciated adult male seal was first observed on 2 August in sector 2 with a fresh laceration that affected the left corner of the mouth and extended approximately 13 cm down the neck. This injury may have been inflicted by some type of fishery interaction and could threaten the survival of the seal. The male seal was resighted three more times and each time appeared lethargic and weak.

Interisland Movement

Interisland movement has been suggested

as a possible factor contributing to a recent decline in the number of immature seals at nearby French Frigate Shoals (Gilmartin 1993). Flipper tag sightings during censuses and patrols revealed 14 seals had moved, at least seasonally, from French Frigate Shoals to Necker Island. Eleven of the 14 seals were sighted at French Frigate Shoals in 1992 indicating the movement to Necker Island occurred within the last year. Although 8 of the 14 seals were immature individuals, this number does not explain the 64% decrease in the number of immature seals at French Frigate Shoals since 1989 (NMFS unpubl. data).

Conclusion

Necker Island continues to be used by monk seals at about the same level as a decade earlier. Our observations suggest that male aggression may be a significant cause of injury and, possibly, mortality for females at this site. Immigration of seals to Necker Island does not account for much of the decline in the immature population at French Frigate Shoals. The Necker Island Hawaiian monk seal population does not appear to be growing nor does it make a significant contribution to the total breeding population. This may be partially explained by the limited haul-out areas.

Acknowledgments

We thank the captain, officers, and crew of the NOAA Ship *Townsend Cromwell* for their assistance and support. Additionally, we appreciate Dr. Sheila Conant and Ms. Elizabeth Flint providing manuscript reviews.



Fig. 3. Typical male-inflicted injury. This gaping dorsal wound is beginning to heal. Photo © Greg Spencer, National Marine Fisheries Service.

Literature Cited

- Bailey, Alfred M. 1952. The Hawaiian monk seal. *Mus. Pictorial*. Denver. 7:1-32.
- Clapp, Roger B., and Eugene Kridler. 1977. The natural history of Necker Island, Northwestern Hawaiian Islands. *Atoll. Res. Bull. No. 206*, 102 pp.
- Conant, Sheila. 1985. Observations of Hawaiian monk seals on Necker Island, Northwestern Hawaiian Islands. *'Elepaio*. 46(2): 11-12.
- Gilmartin, William G. 1993. Research and management plan for the Hawaiian monk seal at French Frigate Shoals, 1993-96. Honolulu Lab., Southwest Fish. Sci. Cent., Natl. Mar. Fish. Serv., NOAA, Honolulu, HI, 96822-2396. *Southwest Fish. Sci. Cent. Admin. Rep. H-93-08*, 61 pp.
- Gilmartin, William G. 1983. Recovery plan for the Hawaiian Monk Seal, *Monachus schauinslandi*. (Written in cooperation with the Hawaiian Monk Seal Recovery Team.) Southwest Region, Natl. Mar. Fish. Serv., NOAA.
- Hiruki, Lisa M. and Timothy J. Ragen. 1992. A compilation of historical monk seal, *Monachus schauinslandi*, counts. U. S. Dep. Commer., NOAA Tech. Memo. NMFS-SWFSC-172, 183 pp.
- Hiruki, Lisa M., William G. Gilmartin, Brenda L. Becker, and Ian Stirling. 1993. Wounding in Hawaiian monk seals (*Monachus schauinslandi*). *Can. J. Zool.* 71:458-468.
- Johnson, Brian W., Robert L. DeLong, Clifford H. Fiscus, and Karl W. Kenyon. 1982. Population status of the Hawaiian monk seal (*Monachus schauinslandi*), 1978. *J. Mammal.* 63:415-421.
- Kenyon, Karl W. 1973. Hawaiian monk seal (*Monachus schauinslandi*). pp. 88-97. in *Seals Int. Union Cons. Nature publ. n.s. Suppl. Pap. 39*.
- Morrow, Robert J. and Elizabeth K. Buelna. 1985. The Hawaiian monk seal and green turtle on Necker Island, 1983. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-SWFSC-175, 11 pp.
- Repenning, Charles A. and Clayton E. Ray. 1977. The origin of the Hawaiian monk seal. *Proceedings of the Biological Society of Washington*. 89(58):667-688.

¹ Southwest Fisheries Center Honolulu
Laboratory
National Marine Fisheries Service
NOAA
2570 Dole Street
Honolulu, HI 96822-2396

²Hawaii Preparatory Academy
P.O. Box 428
Kamuela, HI 96743

Hawaii Audubon Society Publications

Hawaii's Birds by the Hawaii Audubon Society, 4th edition, 1993. Over 150 color photographs and illustrations. \$11.50 per copy (\$9.95 plus \$1.55 postage).

Please add \$1.00 for postage and handling for orders on the following:

Checklist of the Birds of Hawaii—1992 by R.L. Pyle. Lists all taxa naturally occurring in Hawaii and introduced species that have established viable populations. Also includes all changes from the 1988 checklist. \$2.00.

Checklist of the Birds of the Mariana Islands by James D. Reichel and Philip O. Glass, 1991. Lists all taxa naturally occurring in the Marianas and introduced species that have established viable populations. \$2.00.

Checklist of the Birds of Micronesia by P. Pyle and J. Engbring, 1985. Lists all taxa naturally occurring in Micronesia and introduced species that have established viable populations. \$2.00.

Field Card of the Birds of Hawaii by R.L. Pyle and A. Engilis, Jr., 1987. A pocket-sized field card listing bird taxa found in Hawai'i, with space for field trip notes. \$.25; five or more, \$.20/copy.

Endangered Waterbirds of the Hawaiian Islands by R.J. Shallenberger, 1978. Hawaiian Stilt, Coot, Gallinule (Moorhen), and Duck, each described in two pages of photographs and text. \$1.00.

Posters, 43 x 56 cm., \$1.00 each.

Our Homes are Hawaii's Wetlands, 1984. Native wildlife of a Hawaiian marshland.

Hawaiian Forests Are More Than Trees, 1988. Hawaiian forest plants, invertebrates, birds, and the Hawaiian hoary bat. Booklet included.

Back Issues of *'Elepaio* and Indices to *'Elepaio*:

Vol. 1-40 — \$1.00 per issue, \$10.00 per volume

Vol. 41 to present — \$0.50 per issue, \$5.00 per volume

Complete set (Vols. 1-51) — \$400

Mahalo Chevron!

Chevron USA Products Company has awarded the Hawaii Audubon Society \$5,000 to continue designing and implementing an oiled wildlife rehabilitation program. This project is overseen by Linda Elliott, a wildlife biologist who was formerly wildlife manager and environmental programs coordinator at the Hyatt Regency Waikoloa, where she was involved with environmental education and endangered species rehabilitation.

This is the second grant HAS has received from Chevron for this project. In 1993 we received \$7,500. These funds will help make sure we are ready when an oil spill occurs in Hawaii.

Mahalo Donors!

The Hawaii Audubon Society thanks the following for their generous donations:

Betty Johnson, Satoru Doi, Susan Hower, Marianne Long, Jane Mitchell, Lloyd Moore Foundation, Joan C. Pratt, Hazel Valier, and E. Pauahi Vincent.

Ewa Plains Trip

by Lance Tanino

On a hot and humid 17 July, 14 people braved 92 degree temperature to learn about sinkholes and search for bird bones on the Ewa Plains at Campbell Industrial Park.

Dr. Alan Ziegler presented an interesting and exciting lecture on the geological and archaeological history of the sinkholes. Everyone had a great time sifting through soil, finding mostly Dark-rumped Petrel bones.

It makes one wonder and imagine what the Ewa Plains must have been like when Dark-rumped Petrels, two species of raven, two species of flightless rail, Long-legged Owls, and even eagles at one time inhabited what is now Campbell Industrial Park.

Index Vols. 36-40 — \$2.50

Index Vols. 41-45 — \$2.50

Index Vols. 46-50 — \$2.50

*All back issues of *'Elepaio* are at above cost plus applicable postage.

Send orders, with check payable to the Hawaii Audubon Society, to Hawaii Audubon Society, 1088 Bishop St., Suite 808, Honolulu, HI 96813.

Hawaii Audubon Society

1088 Bishop Street, Suite 808
Honolulu, Hawaii 96813
Telephone and FAX (808) 528-1432

Board of Directors

President: Reginald David, on Hawai'i,
329-9141 (W), 329-1245 (FAX)
First Vice President: Linda Paul,
262-6859 (H)
Second Vice President: Emily Gardner,
734-3921 (H)
Treasurer: Joyce Stanney, 533-0204 (H),
543-0827 (W), 526-0225 (FAX)
Corres. Sec.: Kendall McCreary
Recording Sec.: S. Nanea Parks, 593-1047

Directors

Shannon Atkinson, 737-3528 (H),
956-8625 (W), 956-6751 (FAX)
Stephen C. Carter
Sherilyn Garrett, 924-8037 (H), 921-6535 (W),
921-6715 (FAX)
John T. Harrison, 263-4863 (H), 956-7361 (W),
262-7795 (FAX)
David Michael Hill, 988-7460 (H)
E. J. "Jay" Lembeck, 261-6657 (H),
587-0294 (W), 587-0311 (FAX)
Lynne Matusow, 531-4260 (H)
Kevin Shaney, 988-5626 (H), 548-4811 (W),
548-6690 (FAX)

Committees

Conservation: David Michael Hill (as above)
Education: Emily Gardner (as above)
Field Activities: Lance Tanino, 247-5965 (H)
Finance: Joyce Stanney (as above)
Grants & Scholarships: Phil Bruner,
293-3820 (W)
Membership: Robert Pyle, 262-4046 (H)
Programs: Linda Paul (as above)
Publications: Reginald David (as above)
Publicity:

Island Representatives

Maui: Renate Gassmann-Duvall,
1-572-1584 (H)

'ELEPAIO

ISSN 0013-6069

Managing Editor:

Lynne Matusow 531-4260

Editorial Assistants:

Jean Campbell, Lila Gardner, Donna de Haan,

Robert L. Pyle

Reporters:

Andy Cowell

Distribution:

George Campbell, 941-1356 (H), Christi Moore,
Robert Pyle, Alice Zacherle, Alan Ziegler

The 'Elepaio is printed on recycled paper.

T-shirts for Sale

The Hawaii Audubon Society has a stock of T-shirts designed to spread the Audubon message. Not only are they attractive personal apparel, but they make excellent presents as well.

T-shirts bearing the Society's 'Elepaio logo are available in blue spruce and mountain rose with a black design. We also have a few in ash (gray). In addition, the "hot" Kolea (Pacific Golden Plover) T-shirts are also available. This T-shirt is white with a three-color design of the Kolea and native hibiscus. Proceeds from the Kolea T-shirt go to help HAS fund research on shorebirds in Hawai'i and elsewhere in the Pacific region.

T-shirts are \$12 each, plus \$2.00 per shirt for postage. They are available in medium, large, and extra large adult sizes only. When ordering T-shirts, be sure to list size and first, second, and third choice of color. To order T-shirts send your check, payable to the Hawaii Audubon Society, to Yvonne Izu, 1957 Alai Place, Wahiawa, HI 96786. Don't forget to add \$2.00 per shirt for postage. Insufficient postage will delay your order until the proper amount is remitted. T-shirts are not available at the HAS office.

HAS Dues for 1995

All amounts are in U.S. dollars.
Includes delivery of 'Elepaio.

Regular Member

Delivery to U.S. zip code addresses

Via bulk mail \$ 10.00

(Not forwardable to new address)

Via first class mail 16.00

(Hawaii residents: there is no significant time difference between bulk and first class mail to addresses within the state of Hawaii.)

Junior Member (18 and under) 5.00

Contributing Member 30.00

Sustaining Member 100.00

Life Member (one-time payment) 250.00

(three annual payments) 100.00, 100.00, 50.00

Benefactor (one-time payment) 500.00

Patron (one-time payment) 1,000.00

Delivery to non-U.S. addresses:

Mexico (airmail only) 16.00

Canada (airmail only) 17.00

All other countries (surface mail) 18.00

All other countries (airmail) 28.00

Introductory dues for

National and Hawaii Societies: 20.00

(Includes delivery of 'Elepaio and Audubon Magazine as bulk or 2nd class mail to U.S. zip codes. Renewal, \$30 annually.)

Research Grants

The Hawaii Audubon Society makes grants for research in Hawaiian or Pacific natural history. Awards generally do not exceed \$500 and are oriented toward small-scale projects within Hawaii. Special consideration will be given to those applicants studying dryland forests and aeolian systems on Hawai'i.

The deadlines for receipt of grant applications are 1 April and 1 October. For an application form send a self-addressed stamped envelope to Grants, Hawaii Audubon Society, 1088 Bishop Street, Suite 808, Honolulu, HI 96813. For more information, call Phil Bruner, (808) 293-3820 (W).

Your Bequest Can Help

A bequest to the Hawaii Audubon Society is an excellent way to help in our conservation efforts. George C. Munro, enthusiastic and tireless field ornithologist and naturalist, provided for a fund to be used exclusively for the protection of native dry forests. Today, the George C. Munro Fund provides money for research projects on such forests.

Although an attorney should be consulted in the drafting of your will, a model clause for bequests is set forth below.

"I hereby give, devise, and bequeath to the Hawaii Audubon Society, Honolulu, Hawaii, the sum of _____ dollars (or set forth a description of property), to be used for the general purpose of said organization."

For more information and assistance, contact the Hawaii Audubon Society, 1088 Bishop Street, Suite 808, Honolulu, HI 96813, (808) 528-1432.

Birding on O'ahu

A two-page guide listing areas on O'ahu where interesting birds may be found and where access is not a problem is available. Written by Peter Donaldson, it offers important information for birders unfamiliar with Hawai'i. The guide is not designed to give detailed directions or information on bird identification. For a free copy, send a self-addressed stamped envelope to O'ahu Birding Guide, Hawaii Audubon Society, 1088 Bishop Street, Suite 808, Honolulu, HI 96813.

Calendar of Events

First Thursday of Every Month

Monthly meeting of the Education Committee, 7:00 p.m., at the Coffee Line, 1820 University Avenue (in the YWCA). To join or for more information call Emily Gardner, 734-3921 (H). The Committee is actively seeking new members to work on the 1994-'95 Paradise Pursuits Program. All are welcome.

Monday, September 12

Board meeting, 7:00 p. m., HAS office. Call Reggie David on Hawai'i, 329-9141 (W), for details.

Sunday, September 18

Field trip to Kii Unit, James Campbell National Wildlife Refuge, led by Johnny Beall, refuge manager. This is your opportunity to see native waterbirds as well as migratory shorebirds and waterfowl. Meet at the State Library on Punchbowl Street at 7:30 a.m. or at 8:45 a.m. in the parking lot next to First Hawaiian Bank at the Kahuku Sugar Mill Shopping Center. Bring binoculars, spotting scopes, water, and sunscreen. Call Lance

Tanino, Monday or Thursday evening at 247-5965 (H) to sign up. Suggested donation: \$2.00.

Friday, September 30

First Annual Hawaii Audubon Society Awards Dinner, 6:30 p.m., Waikiki Aquarium. Reservations required. Price \$20 per person, \$10 for seniors, students, and children. For details see the insert in this issue.

Monday, October 17

General Membership Meeting, Paki Conference Room, Bishop Museum, 7:30 p.m. See the October 'Elepaio for more details. Refreshments will be served.

Table of Contents

Hawaiian Monk Seal Observations at Necker Island, 1993.....	55
by Michele A. Finn and Marc A. Rice	
Hawaii Audubon Society Publications.....	58
Mahalo Chevron!.....	58
Mahalo Donors!.....	58
Ewa Plains Trip.....	58
by Lance Tanino	

Moving?

Please allow four weeks for processing address changes. Because our records are kept in order by zip code, we need both old and new addresses.

HAWAII AUDUBON SOCIETY • 1088 BISHOP STREET, SUITE 808 • HONOLULU, HAWAII 96813

FORWARDING AND RETURN POSTAGE GUARANTEED
ADDRESS CORRECTION REQUESTED

Non-Profit Organization
U.S. Postage
PAID
Honolulu, Hawaii
Permit Number 1156

'ELEPAIO

